



**TEXTILNÍ ZKUŠEBNÍ ÚSTAV, s.p.**  
(TEXTILE TESTING INSTITUTE)

**Notified body No. 1021**  
Cejl 480/12, Zábřovice, 603 00 Brno, Czech Republic



issues

## CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1021 - CPR – 006-1/16

In compliance with Regulation No. 305/2011 (EU) of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products (Construction Products Regulation – CPR), in valid wording, Annex V, art. 1.2 b)

### Textile floor coverings: Product group 1B - PA-WT

Material:	100 % polyamide
Primary backing:	polypropylene or polyester
Secondary backing:	woven secondary backing (polypropylene)
Technology:	tufted – cut pile/ tufted – loop pile/ woven – loop similar

Products placed on the market under the name or trade mark of:

Manufacturer: **Ege Carpets A/S**  
Industrivej Nord 25, DK-7400 Herning, Denmark  
ID: CVR 38454218

Manufacture location: 1) Ege Carpets A/S - Industrivej Nord 25, DK-7400 Herning, Denmark  
2) Ege Carpets A/S - Industrivej 3, DK-6510 Gram, Denmark

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard:

**EN 14041:2004/ AC:2006 Resilient, textile and laminate floor coverings – Essential characteristics**

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

Products fulfil the essential characteristic of reaction to fire: **Class B<sub>fl</sub> – s1**

The present certificate was issued on the basis of the protocol No. 1021/16/033 (22.02.2016), No. 1021/16/187 (15.08.2016), No. 1021/17/006 (11.01.2017), No. 1021/16/033/K1 (03.03.2017), No. 1021/17/267 (04.10.2017), No. 1021/18/071 (13.04.2018), No. 1021/19/070 (28.02.2019), No. 1021/22/212 (27.07.2022) and No. 1021/23/272 from 31.08.2023 issued by NB 1021 TZÚ Brno. Detailed description of product group is stated in Annex No. 1 of the certificate.

This certificate was first issued on February 22, 2016 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.



Brno, 01.09.2023



RNDr. Pavel Malčík  
Managing Director

**SCOPE:**

**Group 1B - PA-WT (100% Polyamide / Woven secondary backing)**

<b>Group 1.1 (PA-WT)</b>		Tufted	Cut Pile
<b>Class B<sub>n</sub> – s1</b>			
<i>Total weight</i>	2 050 – 2 550 g.m <sup>-2</sup>	<i>Total thickness</i>	6,5 – 8 mm
<i>Pile weight</i>	630 – 1 100 g.m <sup>-2</sup>	<i>Pile thickness</i>	4 – 5,5 mm
<i>Classification report</i>	VN710 208456.3 (27.02.2023)	<i>Classification</i>	EN 13501-1
<i>Products in group</i>	<b>Highline 1101 WT</b> <b>Highline 751 WT</b>	<b>Highline 911 WT</b> <b>Highline 750 WT</b>	<b>Highline 630 WT</b>

<b>Group 1.2 (PA-WT)</b>		Tufted	Loop Pile
<b>Class B<sub>n</sub> – s1</b>			
<i>Total weight</i>	2 050 – 2 700 g.m <sup>-2</sup>	<i>Total thickness</i>	5,0 – 8 mm
<i>Pile weight</i>	440 – 950 g.m <sup>-2</sup>	<i>Pile thickness</i>	2,5 – 5,5 mm
<i>Classification report</i>	VN710 208456.3 (27.02.2023)	<i>Classification</i>	EN 13501-1
<i>Products in group</i>	<b>Una Tempo Stripe WT</b> <b>Contra Stripe WT</b> <b>Una Mikado WT</b> <b>Ege Tuft 440 WT</b>	<b>Una Crystalline WT</b> <b>Contra WT</b> <b>Ege Tuft 650 WT</b> <b>Highline Carré WT</b>	<b>Una Grano WT</b> <b>Una Tinta WT</b> <b>Una Mineral WT</b> <b>Una Tempo WT</b>

<b>Group 1.3 (PA-WT)</b>		Woven	Loop Pile/Similar
<b>Class B<sub>n</sub> – s1</b>			
<i>Total weight</i>	1 750 – 2 225 g.m <sup>-2</sup>	<i>Total thickness</i>	3 - 3,5 mm
<i>Pile weight</i>	450 – 625 g.m <sup>-2</sup>	<i>Pile thickness</i>	-
<i>Classification report</i>	VN710 208456.3 (27.02.2023)	<i>Classification</i>	EN 13501-1
<i>Products in group</i>	<b>Epoca Rustic WT</b> <b>Eco Rustic WT</b>	<b>Eco Profile WT</b>	<b>Eco Iqu WT</b>

<b>Field of application</b>	Horizontal laid floor coverings in form of <b>rolls</b> . The carpet is to be mounted on a substrate of Euroclass A1 <sub>n</sub> or A2 <sub>n</sub> with a density of at least 1350 kg.m <sup>-3</sup> . It is declared for installation with a polyacrylat - copolymer dispersion adhesive (Ege 90RH / Uzin UZ 57) or similar.
-----------------------------	--



**TEST REPORTS and DOCUMENTATION:**

<i>Product</i>	<i>Test report</i>	<i>Date</i>	<i>Accredited laboratory</i>	<i>Product documentation</i>
<b>Highline 1101 WT</b>	PF12638b	6/2007	DBI	3.-4.2.2016  7.7.2022
<b>Highline 751 WT</b>	PF12638a	6/2007	DBI	
<b>Highline 750 WT</b>				
<b>Highline 630 WT</b>	VNLF 081725.1	19.3.2016	OETI	
<b>Highline 911 WT</b>	VNLF 083364.1	30.5.2016	OETI	
<b>Una Tempo Stripe WT</b>	VNLF 082004.4	25.1.2016	OETI	
<b>Contra WT</b>	VN710 126598.1	6.2.2017	OETI	
<b>Contra Stripe WT</b>	VN710 126598.1	6.2.2017	OETI	
<b>Una Crystalline WT</b>	VNLF 083456.1	23.6.2016	OETI	
<b>Una Grano WT</b>	VN710 123546.1	15.12.2016	OETI	10.1.2017
<b>Ege Tuft 650 WT</b>	VN710 137249.1	29.1.2018	OETI	
<b>Una Tinta WT</b>	VN710 126598.1	6.2.2017	OETI	
<b>Una Mikado WT</b>	VN710 130989.1	14.7.2017	OETI	3.10.2017
<b>Una Mineral WT</b>	VN710 150272.1	15.2.2019	OETI	22.2.2019
<b>Epoca Rustic WT</b>	VN710 132403.1	20.9.2017	OETI	3.10.2017
<b>Eco Rustic WT</b>				7.7.2022
<b>Eco Profile WT</b>				
<b>Eco Iqu WT</b>				
<b>Ege Tuft 440 WT</b>	VN710 208456.2	16.02.2023	OETI	
<b>Highline Carré WT</b>				
<b>Una Tempo WT</b>	VN710 215957.1	16.02.2023	OETI	

