

TEXTILNÍ ZKUŠEBNÍ ÚSTAV, s.p.
(TEXTILE TESTING INSTITUTE)

Notified body No. 1021
Cejl 480/12, Zábřovice, 602 00 Brno, Czech Republic

issues



CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1021 - CPR - 058-1/23

In compliance with Regulation No. 305/2011 (EU) of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products (Construction Products Regulation – CPR), in valid wording, Annex V, art. 1.2 b)

Textile floor coverings: Product group 2B - WO-LF

Material: 100 % wool
Primary backing: polyester
Secondary backing: polyester felt
Technology: tufted – cut pile

Products placed on the market under the name or trade mark of:

Manufacturer: **Ege Carpets A/S**
Industrivej Nord 25, DK-7400 Herning, Denmark
ID: CVR 38454218

Manufacture location: 1) Foamtex ApS, Mads Clausens Vej 1, DK-7441 Bording, Denmark

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard:

EN 14041:2004/ AC:2006 Resilient, textile and laminate floor coverings – Essential characteristics

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.


Products fulfil the essential characteristic of reaction to fire: **Class B_{fl} – s1**

The present certificate was issued on the basis of the protocol No. 1021/23/272 from 31.08.2023 issued by NB 1021 TZÚ Brno. Detailed description of product group is stated in Annex No. 1 of the certificate.

This certificate was first issued on September 01, 2023 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.



Brno, 01.09.2023



RNDr. Pavel Malčík
Managing Director

SCOPE:

Group 2 “WO-LF” (100 % Wool / Felt laminated)

| | | | |
|---------------------------------|--|------------------------|----------------|
| Group 2.1 (WO - LF) | | Tufted | Cut Pile |
| Class B_n – s1 | | | |
| <i>Total weight</i> | 1 960 – 3 050 g.m ⁻² | <i>Total thickness</i> | 11,5 – 13,5 mm |
| <i>Pile weight</i> | 1 100 – 2 000 g.m ⁻² | <i>Pile thickness</i> | 6 – 7,5 mm |
| <i>Classification report</i> | VN710 222077.3 (08.08.2023) | <i>Classification</i> | EN 13501-1 |
| <i>Samples in group</i> | Graphic Wool 1100 LF Graphic Wool 1800 LF Graphic Wool 1200 LF Graphic Wool 2000 LF Graphic Wool 1300 LF Colortec Wool 1300 LF Graphic Wool 1500 LF | | |
| <i>Field of application</i> | Horizontal laid floor coverings in form of rolls . The carpet is to be mounted on subfloors of Euroclass A1 _n or A2 _n with a density of at least 1350 kg.m ⁻³ . It is declared for installation with a disperse adhesive (Ege 90 RH) or similar. | | |

TEST REPORTS and DOCUMENTATION:

| <i>Product</i> | <i>Test report</i> | <i>Date</i> | <i>Accredited laboratory</i> | <i>Product documentation</i> |
|------------------------------|--------------------|-------------|------------------------------|------------------------------|
| Graphic Wool 1100 LF | VN710 222077.1 | 03.07.2023 | OETI | |
| Graphic Wool 1200 LF | VN710 222077.1 | 03.07.2023 | OETI | |
| Graphic Wool 1300 LF | VN710 222077.1 | 03.07.2023 | OETI | |
| Graphic Wool 1500 LF | VN710 222077.1 | 03.07.2023 | OETI | |
| Graphic Wool 1800 LF | VN710 222077.1 | 03.07.2023 | OETI | |
| Graphic Wool 2000 LF | VN710 222077.1 | 03.07.2023 | OETI | |
| Colortec Wool 1300 LF | VN710 219142.1 | 25.04.2023 | OETI | |

